Tel(+31)(0) 570-687500

Fax(+31)(0) 570-687574

E-mail: jtbaker.nl@covidien.com



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 24.08.2007 Revision: 24.08.2007

1 Identification of substance:

- · Product details:
- · Trade name: Hydrochloric acid 1 mol/l Dilut It
- · Article number: 4657
- · Application of the substance / the preparation

Chemicals for synthesis Laboratory chemicals

Manufacturer/Supplier:

Mallinckrodt Baker B.V

P.O.Box 1

7400 AA Deventer

The Netherlands

Informing department:

Quality Systems & Regulatory Affairs E-mail: sjors.duteweert@covidien.com

· Emergency information:

Environment Health & Safety department

during normal opening times (8 am till 5.30 pm) tel: (+31)(0) 570 687500

2 Hazards identification

· Hazard designation:



Xi Irritant

- · Information pertaining to particular dangers for man and environment
- R 36/37/38 Irritating to eyes, respiratory system and skin.
- · Classification system

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of the substances listed below with harmless additions.
- Dangerous components:

EINECS: 231-595-7 hydrochloric acid 37%

C, Xi; R 34-37 10 - 25%

· Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · After inhalation In case of unconsciousness bring patient into stable side position for transport.
- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- · After swallowing Rinse out mouth and then drink plenty of water.

GB



Printing date 24.08.2007 Revision: 24.08.2007

Trade name: Hydrochloric acid 1 mol/l Dilut It

(Contd. of page 1)

5 Fire fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· Protective equipment: Wear self-contained breathing apparatus.

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Dilute with plenty of water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

7 Handling and storage

- · Handling
- · Information for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: no special requirements
- Storage
- · Requirements to be met by storerooms and containers: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with critical values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the compilation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· Protection of hands:

Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

(Contd. on page 3)



Printing date 24.08.2007 Revision: 24.08.2007

Trade name: Hydrochloric acid 1 mol/l Dilut It

(Contd. of page 2)

PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eve protection: Tightly sealed safety glasses.
- · **Body protection:** Protective work clothing.

9 Physical and chemical properties:

· General Information

Form: Fluid
Colour: Colourless
Smell: Recognizable

Change in condition

Melting point/Melting range: -10°C Boiling point/Boiling range: 85°C Flash point: n/a

Self-inflammability: Product is not selfigniting.
 Danger of explosion: Product is not explosive.

• Steam pressure at 20°C: 23.0 hPa • Density at 20°C 1.0 g/cm³

Solubility in / Miscibility with

Water: Fully miscible

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: Heat, boiling teperatures.
- · Materials to be avoided:
- · Dangerous reactions No dangerous reactions known
- · Dangerous products of composition: No dangerous decomposition products known

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin:

Irritant

Irritant for skin and mucous membranes.

· on the eye:

irritation

Irritant effect.

- · Sensitization: No sensitizing effect known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:

(Contd. on page 4)



Printing date 24.08.2007 Revision: 24.08.2007

Trade name: Hydrochloric acid 1 mol/l Dilut It

Irritant

(Contd. of page 3)

12 Ecological information:

· General notes:

Water hazard class (D) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleaning agent: Water, if necessary with cleaning agent.

14 Transport information

· Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)



· ADR/RID-GGVS/E Class: 8 Corrosive substances.

Kemler Number: 80
UN-Number: 1789
Packaging group: II
Label 8

· **Designation of goods:** 1789 HYDROCHLORIC ACID, solution

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

· Maritime transport IMDG/GGVSea:



· IMDG/GGVSea Class: 8
· UN Number: 1789
· Label 8
· Packaging group: II
· EMS Number: F-A,S-B
· Marine pollutant: No

(Contd. on page 5)



Printing date 24.08.2007 Revision: 24.08.2007

Trade name: Hydrochloric acid 1 mol/l Dilut It

(Contd. of page 4)

· Correct technical name: HYDROCHLORIC ACID, solution

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 8
 · UN/ID Number: 1789
 · Label 8
 · Packaging group: II

· Correct technical name: HYDROCHLORIC ACID, solution

15 Regulatory information

· Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

Code letter and hazard designation of product:

Xi Irritant

· Risk phrases:

36/37/38 Irritating to eyes, respiratory system and skin.

- · Safety phrases:
- 23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 37 Wear suitable gloves.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- 60 This material and its container must be disposed of as hazardous waste.

16 Other information:

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant R phrases
- 34 Causes burns.
- 37 Irritating to respiratory system.
- · Department issuing data specification sheet: Quality Assurance Department
- · Contact: Sjors duteweert
- * * Data compared to the previous version altered.

GB