*Tel(+31)(0) 570-687500* 

Fax(+31)(0) 570-687574

E-mail: jtbaker.nl@covidien.com



## Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 25.08.2007 Revision: 25.08.2007

#### 1 Identification of substance:

· Product details:

· Trade name: N,N,N',N'-Tetramethylethylenediamine

· Article number: 4098

· Application of the substance / the preparation

Chemicals for synthesis Laboratory chemicals

· Manufacturer/Supplier:

Mallinckrodt Baker B.V

P.O.Box 1

7400 AA Deventer

The Netherlands

· Informing department:

Quality Systems & Regulatory Affairs E-mail: sjors.duteweert@covidien.com

· Emergency information:

Environment Health & Safety department

during normal opening times (8 am till 5.30 pm) tel: (+31)(0) 570 687500

### 2 Hazards identification

· Hazard designation:





C Corrosive F Highly flammable

· Information pertaining to particular dangers for man and environment

R 11 Highly flammable.

R 20/22 Harmful by inhalation and if swallowed.

R 34 Causes burns.

#### 3 Composition/information on ingredients

- · Chemical characterization:
- · CAS No. Designation:

110-18-9 N,N,N',N'-Tetramethylethylenediamine

- · Identification number(s):
- · EINECS Number: 203-744-6
- · EC Number: 612-103-00-3

#### 4 First aid measures

· General information

Instantly remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

*In case of unconsciousness bring patient into stable side position for transport.* 

- · After skin contact Instantly wash with water and soap and rinse thoroughly.
- · After eye contact Rinse opened eye for several minutes under running water. Then consult doctor.

(Contd. on page 2)



Printing date 25.08.2007 Revision: 25.08.2007

Trade name: N,N,N',N'-Tetramethylethylenediamine

(Contd. of page 1)

· After swallowing

Instantly call for doctor.

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

#### 5 Fire fighting measures

· Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· Protective equipment: Put on breathing apparatus.

#### 6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection: No special measures required.
- Measures for cleaning/collecting:

Use neutralizing agent.

Dispose of contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### 7 Handling and storage

- · Handling
- · Information for safe handling: Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- Storage
- · Requirements to be met by storerooms and containers: Store in cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed containers.

#### 8 Exposure controls and personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Components with critical values that require monitoring at the workplace:
- · Additional information: The lists that were valid during the compilation were used as basis.
- · Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Breathing equipment:

In case of brief exposure or low pollution use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air.

· Protection of hands:

Protective gloves.

(Contd. on page 3)



Printing date 25.08.2007 Revision: 25.08.2007

Trade name: N,N,N',N'-Tetramethylethylenediamine

(Contd. of page 2)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Tightly sealed safety glasses.

#### 9 Physical and chemical properties:

· General Information

**Form:** white sticky crystals

Colour: Colourless Smell: Characteristic

· Change in condition

Melting point/Melting range: -10°C
Boiling point/Boiling range: 118-120°C
Flash point: 18°C
Density at 20°C 0.78 g/cm³

· Solubility in / Miscibility with

Water: Readily soluble

#### 10 Stability and reactivity

- Thermal decomposition / conditions to be avoided: Heat, boiling teperatures.
- · Materials to be avoided:
- · Dangerous reactions No dangerous reactions known
- Dangerous products of composition: No dangerous decomposition products known

### 11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effect known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### 12 Ecological information:

· General notes:

Water hazard class (D) 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 4)



Printing date 25.08.2007 Revision: 25.08.2007

Trade name: N,N,N',N'-Tetramethylethylenediamine

(Contd. of page 3)

Must not reach sewage water or drainage ditch undiluted or unneutralized.

#### 13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

· Land transport ADR/RID and GGVS/GGVE (cross-border/domestic)



· ADR/RID-GGVS/E Class: 3 Flammable liquids.

Kemler Number: 33
UN-Number: 2372
Packaging group: II
Label 3

• **Designation of goods:** 2372 1,2-DI-(DIMETHYLAMINO) ETHANE

Limited quantities (LQ)
 Transport category
 Tunnel restriction code

· Maritime transport IMDG/GGVSea:



· IMDG/GGVSea Class: 3
· UN Number: 2372
· Label 3
· Packaging group: II
· EMS Number: F-E,S-D

· Correct technical name: 1,2-DI-(DIMETHYLAMINO) ETHANE

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 3
 · UN/ID Number: 2372
 · Label 3
 · Packaging group: II

(Contd. on page 5)



Printing date 25.08.2007 Revision: 25.08.2007

Trade name: N,N,N',N'-Tetramethylethylenediamine

(Contd. of page 4)

· Correct technical name: 1,2-DI-(DIMETHYLAMINO) ETHANE

#### 15 Regulatory information

· Designation according to EC guidelines:

The product has been classified and labelled in accordance with EC Directives / Ordinance on Hazardous Materials (GefStoffV)

· Code letter and hazard designation of product:

C Corrosive

F Highly flammable

· Risk phrases:

11 Highly flammable.

20/22 Harmful by inhalation and if swallowed.

34 Causes burns.

· Safety phrases:

1/2 Keep locked up and out of the reach of children.

16 Keep away from sources of ignition - No smoking.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

#### 16 Other information:

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing data specification sheet: Quality Assurance Department
- · Contact: Sjors duteweert
- \* \* Data compared to the previous version altered.

GB